

PUBLICATIONS

Stepanenکو Olesya V, Stepanenko Olga V, Kuznetsova I.M., Shcherbakova D.M., Verkhusha V.V., Turoverov K.K. 2017. Interaction of Biliverdin Chromophore with Near-Infrared Fluorescent Protein BphP1-FP Engineered from Bacterial Phytochrome. *Int. J. Mol. Sci.* 18(5): E1009. doi: 10.3390/ijms18051009.

[Stepanenکو Olesya V., Stepanenko Olga V., Bublikov G.S., Kuznetsova I.M., Verkhusha V.V., Turoverov K.K.](#) 2017. Stabilization of structure in near-infrared fluorescent proteins by binding of biliverdin chromophore. *Journal of Molecular Structure.* 1140:22-31. doi 10.1016/j.molstruc.2016.10.095.

[Stepanenکو Olesya V, Baloban M, Bublikov GS, Shcherbakova DM, Stepanenko Olga V, Turoverov KK, Kuznetsova IM, Verkhusha VV.](#) 2016. Allosteric effects of chromophore interaction with dimeric near-infrared fluorescent proteins engineered from bacterial phytochromes. *Sci Rep.* 6:18750. doi: 10.1038/srep18750.

[Rumyantsev K.A., Turoverov K.K., Verkhusha V.V.](#) 2016 Near-infrared bioluminescent proteins for two-color multimodal imaging. *Sci Reports.* 6: 36588 doi: 10.1038/srep36588.

[Rumyantsev K.A., Shcherbakova D.M., Zakharova N.I., Emelyanov A.V., Turoverov K.K. and Verkhusha V.V.](#) 2015 Minimal domain of bacterial phytochrome required for chromophore binding and fluorescence. *Scientific Reports.* 18(5):18348. doi: 10.1038/srep18348.

[Stepanenکو Olesya V., Bublikov G.S., Stepanenko Olga V., Shcherbakova D.M., Verkhusha V.V., Turoverov K.K., Kuznetsova I.M.](#) 2014. A knot in the protein structure - probing the near-infrared fluorescent protein iRFP designed from a bacterial phytochrome. *FEBS J.* 281. 2284–2298. doi: 10.1111/febs.12781.

[Stepanenکو Olesya V., Stepanenko Olga V., Kuznetsova I.M., Verkhusha V.V., Turoverov K.K.](#) 2014. Sensitivity of Superfolder GFP to Ionic Agents. *PlosOne* 9(10): e110750. doi: 10.1371/journal.pone.0110750.

[Stepanenکو Olesya V., Stepanenko Olga V., Kuznetsova I.M., Verkhusha V.V., Turoverov K.K.](#) 2013. The beta-barrel scaffold of fluorescent proteins: folding, stability and role in chromophore formation. *International review of cell & molecular biology.* *Int Rev Cell Mol Biol.*302:221-78. doi: 10.1016/B978-0-12-407699-0.00004-2.

[Stepanenکو Olesya V., Stepanenko Olga V., Kuznetsova I.M., Shcherbakova D.M., Verkhusha V.V., Turoverov K.K.](#) 2012. Distinct effects of guanidine thiocyanate on the structure of superfolder GFP. *PlosOne* 7(11): e48809. doi: 10.1371/journal.pone.0048809.

[Stepanenکو Olesya V., Stepanenko Olga V., Subach O.M., Kuznetsova I.M., Turoverov K.K., Verkhusha V.V.](#) 2011. Modern fluorescent proteins: from chromophore formation to novel intracellular applications. *Biotechniques* 51(05): 313-327. doi: 10.2144/000113765.

[Stepanenکو Olesya V., Verkhusha V.V., Shavlovsky M.M., Kuznetsova I.M., Uversky V.N. Turoverov K.K.](#) 2008. Understanding the Role of Arg96 in Structure and Stability of Green Fluorescent Protein. *Proteins* 73(3): 539-551. doi: 10.1002/prot.22089.

[Stepanenکو Olesya V., Verkhusha V.V., Kuznetsova I.M., Uversky V.N. Turoverov K.K.](#) 2008. Fluorescent proteins as biomarkers and biosensors: throwing color lights on molecular and cellular processes. *Curr Protein Pept Sc.* 9(4):338-69.

[Stepanenکو Olesia V., Verkhusha V.V., Kazakov V.I., Shavlovsky M.M., Kuznetsova I.M., Uversky V.N., and Turoverov K.K.](#) 2004 Understanding the Effect of Quaternary Structure

on Conformational Stability of Fluorescent Proteins: Comparative Studies on EGFP, zFP506, mRFP1, "dimer2", and DsRed1. *Biochemistry*. 43, 14913-14923. doi: 10.1021/bi048725t.

[Verkhusha V.V., Kuznetsova I.M., Stepanenko OlesiaV., Zaraisky A.G., Shavlovsky M.M., Turoverov K.K., and Uversky V.N.](#) 2003. High stability of Discosoma DsRed as compared to Aequorea EGFP. *Biochemistry* 42, 7879-7884. doi: 10.1021/bi034555t.